

(12) UK Patent Application (19) GB (11) 2 322 044 (13) A

(43) Date of A Publication 12.08.1998

(21) Application No 9702573.8

(22) Date of Filing 07.02.1997

(71) Applicant(s)

Jack Yu
No. 109-1 Avenue 6, Lane 164, Tzong Sa Road,
Da Du Hsiang, Taichung Hsien, Taiwan

(72) Inventor(s)

Jack Yu

(74) Agent and/or Address for Service

Alpha & Omega
Chine Croft, East Hill, OTTERY ST. MARY, Devon,
EX11 1PJ, United Kingdom

(51) INT CL⁶

H04M 1/27 1/60

(52) UK CL (Edition P)

H4L LECX

(56) Documents Cited

WO 94/26054 A1 WO 93/01664 A1 US 4426733 A

(58) Field of Search

UK CL (Edition N) H4L LECX


INT CL⁶ H04B 1/46, H04M 1/27 1/60

ONLINE: WPI

(54) Abstract Title

Voice-controlled Hands-free Portable Telephone

(57) A portable phone system includes a portable phone receiver and transmitter and an acoustic driving circuit coupled to a CPU. An acoustic processor is coupled to the acoustic driving circuit for processing input voice signals, along with a microphone and a speaker. A receiver and transmitter is coupled to the acoustic processor, and a headset unit comprising a microphone and an earphone may exchange voice signals with this receiver and transmitter to allow a user to use the portable phone system in a hands-free mode.



BEST AVAILABLE COPY

GB 2 322 044 A




FIG. 1

2322044

PORTABLE PHONE ACOUSTIC CONTROL SYSTEM

The invention relates to a portable phone acoustic control system.

Typical portable phone systems have been widely
05 used and have to be controlled by a number of switch
buttons. The user have to depress the switch buttons
for controlling the phone system and have to hold the
handset. However, it is dangerous while the user is
driving. Many accidents occur when the user uses
10 portable phone.

It is accordingly an object of the present
invention to provide a portable phone that may be
operated without depressing any button and without
holding the handset.

15 According to the present invention there is
provided a portable phone system comprising:

a central processing unit (CPU),

a portable phone receiver and transmitter coupled
to said central processing unit,

20 an acoustic driving circuit coupled to said CPU,

an acoustic processor coupled to said acoustic
driving circuit for processing inlet voice,

a first microphone and a speaker coupled to said
acoustic processor for input and output voice,

25 a first receiver and transmitter coupled to said
acoustic processor for input and output voice,

a second receiver and transmitter, and

a second microphone and an earphone coupled to said second receiver and transmitter for transmitting and receiving a voice to said first receiver and transmitter via said second receiver and transmitter
05 and for allowing user to use said portable phone system without using his hand.

An acoustic memory may be coupled to said acoustic processor for storing user's voice and for preventing unauthorized person from using said phone system.

10 At least one button is coupled to said acoustic driving circuit for switching between said first receiver and transmitter and said speaker.

An acoustic random access memory is coupled to said CPU for storing instructions.

15 A telephone control circuit is coupled to said CPU for coupling said CPU to a telephone line, and a third receiver and transmitter coupled to said CPU for receiving and transmitting a call.

A memory may store phone numbers and may allow
20 said phone system to dial selected phone number.

A secret code setting circuit may be coupled to said CPU for allowing the user to enter secret code and for preventing unauthorized person from using said phone system.

25 In the drawing:

FIG. 1 is a block diagram of a portable phone acoustic control system.

As shown in the drawing, a portable phone system comprises a central processing unit (CPU) 10, and a portable phone receiver and transmitter (handset) 12 is coupled to the CPU 10 via an interface 11 which is
05 coupled to a direct current or alternate current electric power supply 15 or to the electric system of the vehicle via a stabilizer 14. Two memories 16, 17, such as acoustic random access memories (RAM), and a displayer 19 and a secret code setting circuit 19 are
10 coupled to the CPU 10. The memory 16 may store phone numbers for allowing the phone system to dial stored phone numbers. The memory 17 may store acoustic instructions, such as "dial number ...", "switch to earphone", etc. The displayer 18 may show the status
15 and/or instructions and/or phone numbers etc. The secret code may be entered into the CPU via the setting circuit 19 for preventing unauthorized person from using the phone system. A telephone control circuit 20 may couple the CPU 10 to the family telephone line 21
20 and/or to the receiver and transmitter 22, such as beeper, recorder etc.

An acoustic processor 31 is coupled to the CPU 10 via an acoustic driving circuit 30 for processing inlet voice. A receiver and transmitter 32 and a microphone
25 33 and a speaker 34 are coupled to the acoustic processor 31 for receiving and/or transmitting voices. One or more press buttons 36 may switch between the

receiver and transmitter 32 and the microphone 33 and
the speaker 34. An acoustic memory 35 may store the
voices of the users and is coupled to the acoustic
processor 31 for recognizing the voices of the users
05 and for preventing unauthorized person to use the phone
system. Another microphone 38 is coupled to another
receiver and transmitter 37 which may transmit a sound
or voice to the receiver and transmitter 32 and which
includes an earphone 39 for allowing the user to use
10 the phone system without using his hands. The user may
also contrbl the phone system via the microphone 33
directly. The voice may be output via the speaker 34 or
to the earphone 39 via the receiver and transmitter 37,
32. When the output voice may not be heard by the
15 others, the user may switch to the earphone 39 for
allowing only the user to hear the sound. The receiver
and transmitter 37 may be energized by battery 40.

In operation, when the user is speaking, the
acoustic processor 31 may identify the voice by
20 comparing that stored in the acoustic memory 35 and may
couple to the CPU 10 for storing phone numbers in the
memory 16, for storing acoustic instructions in the
memory 17, for setting secret code 19 and for receiving
the telephone line 21, or for transferring the
25 telephone line to another receiver and transmitter 22,
such as beeper or recorder. The user may use his voice
to couple the phone line to the speaker 34 or the

earphone 39 and to receive the call and to dial the
pre-stored phone numbers and to control the phone
system by the instructions stored in the memory 17. The
most important thing is that the user may control the
05 phone system via the microphones 33, 38 without using
the handset 12, such that the user may concentrate on
driving and such that accidents may be greatly
decreased. The acoustic processor 31 may recognize the
users' voices. In addition, the entered secret code
10 (19) may prevent the other people from using the phone.

CLAIMS:-

1. A portable phone system comprising:
a central processing unit (CPU),
a portable phone receiver and transmitter coupled
05 to said central processing unit,
an acoustic driving circuit coupled to said CPU,
an acoustic processor coupled to said acoustic
driving circuit for processing inlet voice,
a first microphone and a speaker coupled to said
10 acoustic processor for input and output voice,
a first receiver and transmitter coupled to said
acoustic processor for input and output voice,
a second receiver and transmitter, and
a second microphone and an earphone coupled to
15 said second receiver and transmitter for transmitting
and receiving a voice to said first receiver and
transmitter via said second receiver and transmitter
and for allowing user to use said portable phone system
without using his hand.
20 2. A portable phone system as claimed in claim 1
further comprising an acoustic memory coupled to said
acoustic processor for storing user's voice and for
preventing unauthorized person from using said phone
system.
25 3. A portable phone system as claimed in claim 1
further comprising at least one button coupled to said
acoustic driving circuit for switching between said

first receiver and transmitter and said speaker.

4. A portable phone system as claimed in claim 1 further comprising an acoustic random access memory coupled to said CPU for storing instructions.

05 5. A portable phone system as claimed in claim 1 further comprising a telephone control circuit coupled to said CPU for coupling said CPU to a telephone line, and a third receiver and transmitter coupled to said CPU for receiving and transmitting a call.

10 6. A portable phone system as claimed in claim 1 further comprising a memory for storing phone numbers and for allowing said phone system to dial selected phone number.

15 7. A portable phone system as claimed in claim 1 further comprising a secret code setting circuit coupled to said CPU for allowing the user to enter secret code and for preventing unauthorized person from using said phone system.

20 8. A portable phone system substantially as herein described with reference to the accompanying drawing.



The Patent Office

8

Application No: GB 9702573.8
Claims searched: all

Examiner: Nigel Hall
Date of search: 29 April 1997

Patents Act 1977 Search Report under Section 17

Databases searched:

UK Patent Office collections, including GB, EP, WO & US patent specifications, in:

UK Cl (Ed.O): H4L (LECX)

Int Cl (Ed.6): H04M 1/27, 1/60; H04B 1/46

Other: Online: WPI

Documents considered to be relevant:

Category	Identity of document and relevant passage	Relevant to claims
Y	WO 94/26054 A1 (SOUTHWESTERN BELL)	1 at least
X,Y	WO 93/01664 A1 (MOTOROLA)	1 at least
Y	US 4426733 (BRENIG)	1 at least

X	Document indicating lack of novelty or inventive step	A	Document indicating technological background and/or state of the art.
Y	Document indicating lack of inventive step if combined with one or more other documents of same category.	P	Document published on or after the declared priority date but before the filing date of this invention.
&	Member of the same patent family	E	Patent document published on or after, but with priority date earlier than, the filing date of this application.